

SHEETERS

Always by your side

RHEA

Quality sheeting with little dusting thanks to its anti-static coating



RHEA is a range of dough sheeters capable of rolling out dough gently and precisely. With options ranging from a small, manual, table top dough sheeter to an automatic dough sheeter with a touchscreen control panel, you will undoubtedly find a **RHEA** dough sheeter adapted to your production methods.

Its quality sheeting, which doesn't tear dough, as well as its user-friendliness, make RHEA the ideal ally for providing "home-made" products.

Ergonomic and multi-purpose, it can sheet all types of dough such as puff pastry, sweet and savoury pastry, marzipan or even sugar paste.





that guarantees quality lamination

The sheeting is consistent and results in uniform dough thickness. Thanks to the "Easy pass" rollers, dough pieces can pass under the protective grilles without tearing.



A user-friendly sheeter that is easy to clean

For increased user convenience, our RHEA dough sheeters come with Smartblue coating. Its antistatic property requires less flour dusting, and its blue colour protects your eyes from glare. Cleaning is simple — a quick wipe with a sponge is all that is needed! RHEA sheeters also have flour recovery trays to make cleaning quicker and more efficient.




A sheeter that saves you time

Boost your sheeting using the cutting station, available with the SC models, and spend 30% less time producing Danish pastries! A wide variety of cutting tools is available for all your creations (croissants, pains au chocolat, tarts, turnovers, etc.).





RHEA MANU, manual dough sheeters that are efficient and practical



The RHEA MANU range of manual dough sheeters



RHEA MANU-T Table top model 500 and 500 L



RHEA MANU-S Stand model 500, 500 L, 600 and 600 L



RHEA MANU-SC Stand model with cutting station 600 L



Sheeters adapted to small and medium production volumes

Our manual dough sheeters can accommodate dough pieces of **4**, **6 or 8 kg**, depending on the model, to adapt to your needs as fully as possible.



Compact and productive dough sheeters

Sheet, cut and roll up to **640 croissants per hour*** with the SC model, which only requires **3.2 m**² of floor space! With their **fold-away belts**, our **RHEA MANU** standing dough sheeters enable you to regain floor space once the sheeting is completed.



Sheeters that adapt to your needs

Operate your standing RHEA MANU by hand or by foot, whichever you prefer. For easier collection of the rolled-out dough, RHEA MANU comes fitted with 2 aluminium recovery rollers. Their supports are located on both sides of the dough sheeter so you can choose where to wind up your dough pieces.





RHEA AUTO, automatic sheeters that save time



The RHEA AUTO range of automatic dough sheeters



RHEA AUTO-S Stand model 650




RHEA AUTO-SC Stand model with cutting station 650 L

Work in complete safety with RHEA



Our commitment to safety goes beyond self-certification since we have our equipment audited by an independent external body.




Sheeters adapted to large production volumes

Our automatic dough sheeters can accommodate dough pieces of up to 13 kg to achieve an output rate of 920 croissants per hour*!



Sheeters that make work easier

With RHEA AUTO, folding, sheeting and cutting are a piece of cake! Let your dough sheeter take care of everything — your dough pieces will be rolled out, floured and wound up automatically. While your sheeter does the work and saves you valuable time, you can accomplish other tasks.



Sheeters that guarantee uniform production

Gain consistency by saving programmes for folding and sheeting using RHEA AUTO's touchscreen control panel: dough thickness, belt speeds and flouring intensity can be configured for each passage between the rollers. Consistent results are guaranteed, regardless of the user in charge of the sheeting steps!





Sleek and intuitive control panel

Semi-automatic Mode

Enter the initial and final thicknesses and the number of steps, and your dough sheeter will automatically determine the necessary sheeting cycle



Choose your settings for each sheeting step or take control of your sheeter during the sheeting process

Create and save your custom programmes for folding and sheeting to be used in automatic mode

Automatic Mode

Select your custom programme - RHEA AUTO will do the rest!

Various cutting shapes

Croissants **Turnovers (Chaussons)** Tart shells Tartlet shells Pains au chocolat Pains au chocolat Straight croissants Smooth ovals Smooth circles Smooth circles Ø280 mm3 90 x 160 mm B85 x H270 mm 180 x 90 mm Ø140 mm Fluted ovals180 x 90 mm Smooth circles Fluted circles Mini-croissants B110 x H137 mm Ø260 mm Ø140 mm Mini-croissants Smooth circles Smooth circles B80 x H110 mm Ø100 mm Ø220 mm* **Curved** croissants Fluted circles Fluted circles B130 x H183 mm Ø220 mm* Ø100 mm

*Only available on RHEA MANU

Curved croissants B200 x H180 mm

Our experts at your service







Our sales expertise

Our sales and installation teams are here to help you carry out your project: they offer equipment and bakery layout recommendations adapted to your production process.

For the French market, we also offer a service dedicated to financial leasing: Bongard Finance. An agile financing method that preserves cash flow, a first in the bakery and pastry goods market.

Our business expertise

Our 320 m² showroom and laboratory at our head office in Holtzheim is available on request for you to test our equipment according to your own manufacturing process.

Our expert master bakers come to your bakeries, at your request, all over the world, to train you on our machines.

Our technical expertise

Our equipment is covered by the manufacturer's warranty from the moment of delivery. You can choose a maintenance contract associated with an extended warranty in order to sustainably optimise the operation of your equipment and avoid costly downtime.

BONGARD provides training to technicians from dealerships and distributors in order to ensure the proper functioning and durability of your equipment. Our dealers and distributors have access to an online platform containing technical information and allowing them to order some 5,000 references of original spare parts, shipped within 24 to 48 hours.



RHEA Technical Data

Model				RHEA MANI	J-T R	HEA MANU-S	RHEA MANU-SC	RHEA AUTO-S	RHEA AUTO-SO
Controls									
"Hand" control only							216		1
Dual "hand and foot" controls					1680				14.11
7" touchscreen control p	anel				17	1.		•	•
Main features				'	,			'	'
Coordinated input and ou	utput belts					•	•		
Cutting station									•
Speed variator									
Ergonomics				'				'	'
Fold-away tables (only o	n 1 side for the Rh	ea SC model)						1000	January 1
Stainless steel receiving t	trays								
Storage racks for cutting	tools				391.				
"Easy pass" anti-tear rol									
Digital display of roller s	pacing						€		
Swivel castors with brake	es at the front, fixed	castors at the	rear					•	
Flouring									
Flour tank					3 J 7 - 1			1 1	
Automatic flour duster							171.76		
Flour recovery tray under the rollers				The Year	14				
Winding				'				'	
2 aluminium dough band recovery rollers					No.		55.10		
Supports for recovery roller, left and right				•					<u> </u>
Automatic winder on the right and support for the dough band recovery roller on the left				1 - 1 - 1				•	
Power supply voltage**	A Type B circuit bre	aker is required							
3PH 400 V 50 Hz					W sta				avan 4
3PH 400 V 50-60 Hz							1		
1PH 230 V 50-60 Hz				10.5		1			
3PH 230 V 50 Hz				€	100	€			
3PH 208 V 60 Hz						€	210		
3PH 208-230 V 50-60 Hz								€	€
Packaging (including fun	nigation treatment	as a standard fe	ature, compliant with international	standard ISPM 15	5)				
Film-wrapped pallet				•			•	•	
Closed wooden crate				€		€	€	€	€
Latticed wooden crate				€		€	€	€	€
Cutting tools for SC mode	els	1000							
Products	Weight min. (1)	Veight max. (1)	1st tool: shape cutting	Base (mm)	Height (mm)	2 nd tool: (lough strip cutting	Number of useful discs	Disc spacing (mm
Straight croissants*	70 g	110 g	2-row croissant cutter	85	270	2 1001.	g zp coning	3	270 mm
	70 g	110 g	3-row croissant cutter	130	183			4	183 mm
Curved croissants*	90 g	150 g	3-row croissant cutter	200	180			4	180 mm
	45 g	70 g	4-row croissant cutter	110	137			5	137 mm
Mini croissants*	27 g	42 g	5-row croissant cutter	80	110	6-di	sc strip cutter	6	110 mm
	70 g	110 g Pain au chocolat cutter		90				4	160 mm
Pains au chocolat**									

Products	Weight min. (1)	Weight max. (1)	1st tool: shape cutting	Base (mm)	Height (mm)	
Straight croissants*	70 g	110 g	2-row croissant cutter	85	270	
c 1 · · · *	70 g	110 g	3-row croissant cutter	130	183	
Curved croissants*	90 g	150 g	3-row croissant cutter	200	180	
Mini croissants*	45 g	70 g	4-row croissant cutter	110	137	
MINI Croissants	27 g	42 g	5-row croissant cutter	80	110	
Pains au chocolat**	70 g	110 g	Pain au chocolat cutter	90	2-1-87	
D 1 *	180 g	285 g	Cross cutter	110	TW-g/	
Dough strips*	215 g	335 g	Cross cutter	130		
	170 g	245 g	2-row smooth circle cutter	Ø 260	- : 18	
	145 g	205 g	2-row smooth circle cutter***	Ø 220		
Tart shells	215 g	310 g	1-row smooth circle cutter***	Ø 330		
	145 g	205 g	2-row fluted circle cutter***	Ø 220		
	90 g	130 g	4-row smooth circle cutter	Ø 140		
* d. l. II	50 g	90 g	5-row smooth circle cutter	Ø 100	C.	
Tartlet shells	90 g	130 g	4-row fluted circle cutter	Ø 140		
	50 g	90 g	5-row fluted circle cutter	Ø 100	1	
T (C)	60 g	100 g	5-row smooth oval cutter	180	90	
Turnovers (Chaussons)	60 g	100 g	5-row fluted oval cutter	180	90	

(1) Raw products
For other shapes, contact us.

as needed

^{*} Note: 1 shape cutting tool + 1 strip cutting tool must be in place to create the desired shape.

** For 80-mm chocolate bars.

*** Only available on RHEA MANU.


RHEA Technical Data

Technical characteristics										
Model			RHEA MANU-T		RHEA I	MANU-S		RHEA MANU-SC	RHEA AUTO-S	RHEA AUTO-SC
			500 L	500	500 L	600	600 L	600 L	650	650 L
Dough piece min-max weight	(kg)	0.5	- 4	0.5	- 6	0.5	- 8	0.5 - 8	0.5 - 13	0.5 - 13
Net weight	(kg)	130	140	220	230	240	250	300	330	380
Roller diameter	(mm)	80	80	80	80	80	80	80	80	80
Roller spacing	(mm)	1 - 47	1 - 47	1 - 47	1 - 47	1 - 47	1 - 47	1 - 47	1 - 50	1 - 50
Motor power (for 3PH 400 V 50 Hz)	(kW)	0.55	0.55	0.55	0.55	0.75	0.75	1	1.1	1.1


Dimensions (mm)										
Model		RHEA MANU-T			RHEA I	MANU-S	RHEA MANU-SC	RHEA AUTO-S	RHEA AUTO-SC	
Belt size		500	500L	500	500L	600	600L	600L	650	650L
(A) Belt width	(mm)	500	500	500	500	600	600	600	650	650
(B) Table length	(mm)	500	750	750	1000	1000	1400	1400	1400	1600
(C) Total depth	(mm)	865	865	910	910	1010	1010	1010	1180	1180
(D) Total width in working position	(mm)	1530	2150	2100	2475	2475	3221	3221	3960	4160
(E) Total width in storage position	(mm)	1165	1395	1243	1389	1389	1460	2663		S
(F) Working height	(mm)	215	215	900	900	900	900	900	920	920
(G) Total height in working position	(mm)	690	690	1160	1160	1160	1160	1160	1530	1530
(H) Total height in storage position	(mm)	985	985	1685	1685	1685	1685	2093		


Additional products		
Model	Cutting table T2000	Cutting table T3000
Table length	2m	3m
Power supply voltage*	230V / PH+N+T / 50 Hz	230V / PH+N+T / 50 Hz
Power (kW)	0,5	0,5
Cutting accessories	See the "Additional products" catalogue	See the "Additional products" catalogue

^{*}Connection to 16A single-phase 230V F-type plug and must be protected with a differential circuit breaker (30mA) and a 16A fuse per phase, plug included.



Ex: RHEA MANU-SC





Ex: RHEA AUTO-SC



Always by your side

BONGARD, French manufacturer of bakery equipment since 1922, relies on a network of exclusive dealers continuously trained on all our ranges to ensure 7/365 commercial and technical service throughout France and the French overseas departments and territories. **BONGARD** is also distributed in more than 140 countries around the world.

To find a distributor near you, please go to: https://www.bongard.fr/en/distributor/





Follow us: f 💿 🕨 in Bongard.bakery

BONGARD

32 rue de Wolfisheim - 67810 HOLTZHEIM (France) - Tel. +33 3 88 78 00 23 - www.bongard.fr - bongard@bongard.fr

an Ali Group Company

